

Europaisches Patentamt
European Patent Office
Office européen des brevets



11) Publication number:

0 617 284 A3

(12

EUROPEAN PATENT APPLICATION

21) Application number: 94104245.9

(5) Int. Cl.6: G01N 33/543, //G01N33/76

2 Date of filing: 17.03.94

(3) Priority: 18.03.93 JP 58707/93

Date of publication of application:28.09.94 Bulletin 94/39

Designated Contracting States:
AT BE CH DE DK ES FR GB GR IE IT LI LU MC
NL PT SE

Date of deferred publication of the search report: 19.07.95 Bulletin 95/29

 Applicant: MOCHIDA PHARMACEUTICAL CO., LTD.
 7, Yotsuya 1-chome Shinjuku-ku Tokyo 160 (JP)

Inventor: Mochida, Ei c/o Mochida Pharm. Co., Ltd., 7, Yotsuya 1-chome Shinluku-ku, Tokyo (JP) Inventor: Miyauchi, Yasuhiko c/o Mochida Pharm. Co., Ltd., 7. Yotsuya 1-chome Shinjuku-ku, Tokyo (JP) Inventor: Matsuura, Takashi c/o Mochida Pharm. Co., Ltd., 7, Yotsuya 1-chome Shinjuku-ku, Tokyo (JP) Inventor: Katamine, Tomoaki c/o Mochida Pharm. Co., Ltd., 7, Yotsuya 1-chome Shinjuku-ku, Tokyo (JP)


Representative: Patentanwälte Grünecker, Kinkeldey, Stockmair & Partner Maximillanstrasse 58 D-80538 München (DE)

- (9) Apparatus and process for simplified measurement.
- This invention provides a simplified measuring apparatus for use in the qualitative or quantitative measurement of substances to be assayed, such as proteins, antibodies and the like, in a small amount of test samples by a simple and easy operation without requiring a B/F separation step, as well as a process for the measurement by the measuring apparatus

More particularly, it provides a simplified measuring apparatus for use in the detection of the presence and quantity of substances to be assayed in test samples, which comprises: (a) a liquid permeable porous reaction membrane whose surface having at least one reaction area to which an affinity substance capable of directly or indirectly capturing a substance to be assayed or a soluble agent is

immobilized; (b) a porous body arranged on the upper part of the porous reaction membrane, to which a soluble agent capable of being solubilized by the addition of a test sample is adhered in a releasable manner; (c) an absorption member arranged on the lower part of the porous reaction membrane, which contacts with a periphery, excluding the reaction area, of the porous reaction membrane via a liquid non-permeable sheet; (d) a liquid non-permeable transparent cover arranged on the lower part of the absorption member; and (e) a liquid non-perm able cas which encloses the foregoing members (a) to (d), having an opening for use in test sample introduction on its top surface and another opening for judgement use on its under surface.

FIG. 2





EUROPEAN SEARCH REPORT

Application Number EP 94 10 4245

ategory	DOCUMENTS CONSIDERED TO BE RELEVA Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CL5)
	US-A-4 623 461 (HOSSOM ET AL) 18 November 1986	r 1-15	G01N33/543 //G01N33/76
	* the whole document *		
	EP-A-0 335 244 (ABBOTT LABORATORIES) 4 October 1989	1-15	
	* abstract; figures 1,3,4 *	3	
	EP-A-0 452 740 (BOEHRINGER MANNHEIM GMBH) 1,13-15	
	23 October 1991 * the whole document *		
	- Cue Attole document		
			TECHNICAL FIELDS SEARCHED (Int.Cl.5)
			GOIN
:			
•			
٠			
	The present search report has been drawn up for all claims		
	Place of search Date of completion of the search		Regulati
	BERLIN 11 May 1995		eder, O
X : p	CATEGORY F CITED DOCUMENTS T: theory or F E: earlier past articularly relevant if taken alone articularly relevant if taken alone	rited in the analical	don
Y:p	L: document	cited for other reaso	mily, corresponding